TDS-SS-HYROX-001 | Rev. 1.0 | Jun 2026

HYROX DRIVE

Performance Turf Track

PRODUCT DESCRIPTION

HYROX Drive is a purpose-built performance turf track designed for HYROX training, sled pushing, sled pulling and high-traffic conditioning zones. Manufactured from elite-grade, low-pile, non-directional turf fibres, it provides a fast, durable and consistent surface for repetitive equipment use and race-specific movement patterns.

TECHNICAL SPECIFICATIONS

Property	Value	Test Standard
Product Type	Sprint track synthetic turf	—
Format	Roll (2 m wide)	—
Length	16.1 m	—
Pile Height	20 mm	—
Composition	PE, PP, NET + SBR	—
Dtex	8,500	—
Method	Tufted	—
Stitches	31,500/m²	—
Fire Classification	Efl	EN 13501-1
Slip Resistance	R12	—
REACH	Pass	—
Certification	Pass	EN 15330-1:2013
Installation	Turf adhesive tape	—
Warranty	2 years	—

HYROX DRIVE

Performance Turf Track

AVAILABLE FINISHES & DIMENSIONS

Colour: Black (white markings)

Roll Width: 2 m

Roll Length: 16.1 m

RECOMMENDED APPLICATIONS

Dedicated HYROX gyms · Functional training studios · Athletic performance centres · CrossFit boxes · Educational performance facilities · Military and MOD training centres

NBS SPECIFICATION CLAUSE

Clause Reference: M50 / 130 — Synthetic Turf (Performance Track)

Supply and install Superstrata HYROX Drive performance turf track to the areas indicated on drawings. Roll format: 2m wide × 16.1m long; pile height 20mm; composition PE, PP, NET + SBR; Dtex 8,500; stitches 31,500/m². Fire classification: Efl (EN 13501-1). Slip resistance: R12. REACH compliant. Certified to EN 15330-1:2013. Install using manufacturer’s turf adhesive tape system. Provide 2-year manufacturer’s warranty on completion.
Manufacturer: Superstrata Performance Flooring, www.superstrata.fit

HYROX DRIVE

Performance Turf Track

TECHNICAL DRAWING — Sheet 1

HYROX DRIVE

PRODUCT OVERVIEW

VIEW A - FRONT / TOP PERSPECTIVE

For visual orientation only - scaled plan shown on Sheet 2

VIEW B - ALTERNATE PERSPECTIVE

For visual orientation only - scaled plan shown on Sheet 2

PRODUCT SUMMARY

Overall plan size: 16.1 m long x 2.0 m wide

Pile height: 20 mm

Finish: black performance turf with white integrated line markings

Plan scale on Sheet 2: 1:50 @ A3

HYROX DRIVE

Architectural reference drawing

Drawing	Scale	Sheet
Overview views	**NTS**	**1 of 2**
Product: HYROX Drive turf track	Rev: A	Date: 19/06/2026

HYROX DRIVE

Performance Turf Track

TECHNICAL DRAWING — Sheet 2

HYROX DRIVE

FLAT PLAN / SCALED DIMENSIONS

ORTHOGRAPHIC FLAT PLAN Scale 1:50 @ A3 - all dimensions in millimetres



SCALE BAR - PLAN 1:50

DETAIL A - PILE HEIGHT

Scale 1:1 @ A3

GENERAL NOTES

1. Units are millimetres unless stated otherwise.
2. Plan is drawn at 1:50 on A3; Detail A is drawn at 1:1.
3. White line markings shown as 80 mm nominal integrated markings.
4. Verify substrate, adhesive method and site set-out before installation.

HYROX DRIVE Architectural reference drawing		
Drawing **Flat plan and dimensions**	Scale **1:50 @ A3**	Sheet **2 of 2**
Product: HYROX Drive turf track	Rev: A	Date: 19/06/2026